RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:

Source:

Date Processed by STIC:

ENTERED

CRF Errors Edited by the STIC Systems Branch

Serial	Number: 10/50/ (666A : CRF Edit Dates 2035-05) Edited by: 20
<u>*¥*</u>	Realigned nucleic acid/amino acid numbers/text in cases where the sequence text "wrapped" to the next line
	Corrected the SEQ ID NO. Sequence numbers edited were:
	Inserted or corrected a nucleic number at the end of a nucleic ling. SEQ 1D NO's edited:
/	
\checkmark	Deleted:invalid beginning/end-of-file text; page numbers
	Inserted mandatory headings/numeric identifiers, specifically:
	Moved responses to same line as heading/humeric identifier, specifically:
	Other:

Revised 09/09/2003



PCT

RAW SEQUENCE LISTING DATE: 02/25/2005
PATENT APPLICATION: US/10/501,666A TIME: 09:37:10

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

```
5 <110> APPLICANT: Stordeur, Patrick
        Goldman, Michel
10 <120> TITLE OF INVENTION: Method to determine in vivo nucleic acid levels
14 <130> FILE REFERENCE: DECLE35.002APC
17 <140> CURRENT APPLICATION NUMBER: 10/501,666A
18 <141> CURRENT FILING DATE: 2004-07-16
21 <150> PRIOR APPLICATION NUMBER: PCT/EP03/00493
22 <151> PRIOR FILING DATE: 2003-01-20
24 <150> PRIOR APPLICATION NUMBER: EP 02447009.8
26 <151> PRIOR FILING DATE: 2002-01-18
30 <160> NUMBER OF SEQ ID NOS: 55
34 <170> SOFTWARE: PatentIn version 3.1
38 <210> SEQ ID NO: 1
40 <211> LENGTH: 21
42 <212> TYPE: DNA
44 <213> ORGANISM: Artificial Sequence
48 <220> FEATURE:
50 <223> OTHER INFORMATION: Oligonucleotide
52 <400> SEQUENCE: 1
                                                                           21
53 gaagatgtgc ctgtcctgtg t
56 <210> SEQ ID NO: 2
58 <211> LENGTH: 21
60 <212> TYPE: DNA
62 <213> ORGANISM: Artificial Sequence
66 <220> FEATURE:
68 <223> OTHER INFORMATION: Oligonucleotide
70 <400> SEQUENCE: 2
                                                                           21
71 cgctcaggtc agtgatgtta a
74 <210> SEQ ID NO: 3
76 <211> LENGTH: 25
78 <212> TYPE: DNA
80 <213> ORGANISM: Artificial Sequence
84 <220> FEATURE:
86 <223> OTHER INFORMATION: Oligonucleotide
88 <220> FEATURE:
90 <221> NAME/KEY: misc feature
92 <222> LOCATION: (1)..(1)
94 <223> OTHER INFORMATION: t labelled with 6Fam
98 <220> FEATURE:
100 <221> NAME/KEY: misc_feature
102 <222> LOCATION: (25)..(25)
104 <223> OTHER INFORMATION: q labelled with Tamra-p
108 <400> SEQUENCE: 3
```

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

109 tggtgatga gaccagactc cagctg 25 112 <210> SEO ID NO: 4 114 <211> LENGTH: 21 116 <212> TYPE: DNA 118 <213> ORGANISM: Artificial Sequence 122 <220> FEATURE: 124 <223> OTHER INFORMATION: Oligonucleotide 126 <400> SEQUENCE: 4 127 acagatgaag tgctccttcc a 21 130 <210> SEQ ID NO: 5 132 <211> LENGTH: 21 134 <212> TYPE: DNA 136 <213> ORGANISM: Artificial Sequence 140 <220> FEATURE: 142 <223> OTHER INFORMATION: Oligonucleotide 144 <400> SEQUENCE: 5 145 gtcggagatt cgtagctgga t 21 148 <210> SEQ ID NO: 6 150 <211> LENGTH: 20 152 <212> TYPE: DNA 154 <213> ORGANISM: Artificial Sequence 158 <220> FEATURE: 160 <223> OTHER INFORMATION: Oligonucleotide 162 <220> FEATURE: 164 <221> NAME/KEY: misc_feature 166 <222> LOCATION: (1)..(1) 168 <223> OTHER INFORMATION: c labelled with 6Fam 172 <220> FEATURE: 174 <221> NAME/KEY: misc_feature 176 <222> LOCATION: (20)..(20) 178 <223> OTHER INFORMATION: g labelled with Tamra-p 182 <400> SEQUENCE: 6 183 ctctgccct ctggatggcg g 20 186 <210> SEQ ID NO: 7 188 <211> LENGTH: 20 190 <212> TYPE: DNA 192 <213> ORGANISM: Artificial Sequence 196 <220> FEATURE: 198 <223> OTHER INFORMATION: Oligonucleotide 200 <400> SEQUENCE: 7 201 agctgcctac gtgtatgcca 20 204 <210> SEO ID NO: 8 206 <211> LENGTH: 21 208 <212> TYPE: DNA 210 <213> ORGANISM: Artificial Sequence 214 <220> FEATURE: 216 <223> OTHER INFORMATION: Oligonucleotide 218 <400> SEQUENCE: 8 21 219 gcagtgccaa ggtctctttc a

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

222 <210> SEQ ID NO: 9 224 <211> LENGTH: 27 226 <212> TYPE: DNA 228 <213> ORGANISM: Artificial Sequence 232 <220> FEATURE: 234 <223> OTHER INFORMATION: Oligonucleotide 236 <220> FEATURE: 238 <221> NAME/KEY: misc feature 240 <222> LOCATION: (1)..(1) 242 <223> OTHER INFORMATION: c labelled with 6Fam 246 <220> FEATURE: 248 <221> NAME/KEY: misc feature 250 <222> LOCATION: (27)..(27) 252 <223> OTHER INFORMATION: labelled with Tamra-p 256 <400> SEQUENCE: 9 27 257 ccccacaga aattcccaca agtgcatt 260 <210> SEQ ID NO: 10 262 <211> LENGTH: 21 264 <212> TYPE: DNA 266 <213> ORGANISM: Artificial Sequence 270 <220> FEATURE: 272 <223> OTHER INFORMATION: Oligonucleotide 274 <400> SEQUENCE: 10 275 catcgatttc ttccctgtga a 21 278 <210> SEQ ID NO: 11 280 <211> LENGTH: 24 282 <212> TYPE: DNA 284 <213> ORGANISM: Artificial Sequence 288 <220> FEATURE: 290 <223> OTHER INFORMATION: Oligonucleotide 292 <400> SEQUENCE: 11 24 293 tcttggagct tattaaaggc attc 296 <210> SEQ ID NO: 12 298 <211> LENGTH: 22 300 <212> TYPE: DNA 302 <213> ORGANISM: Artificial Sequence 306 <220> FEATURE: 308 <223> OTHER INFORMATION: Oligonucleotide 310 <220> FEATURE: 312 <221> NAME/KEY: misc feature 314 <222> LOCATION: (1)..(1) 316 <223> OTHER INFORMATION: a labelled with 6Fam 320 <220> FEATURE: 322 <221> NAME/KEY: misc feature 324 <222> LOCATION: (22)..(22) 326 <223> OTHER INFORMATION: a labelled with Tamra-p 330 <400> SEQUENCE: 12 22 331 acaagagca aggccgtgga gca

334 <210> SEQ ID NO: 13

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

336 <211> LENGTH: 20 338 <212> TYPE: DNA 340 <213> ORGANISM: Artificial Sequence 344 <220> FEATURE: 346 <223> OTHER INFORMATION: Oligonucleotide 348 <400> SEQUENCE: 13 349 tgaggagctg gtcaacatca 20 352 <210> SEQ ID NO: 14 354 <211> LENGTH: 21 356 <212> TYPE: DNA 358 <213> ORGANISM: Artificial Sequence 362 <220> FEATURE: 364 <223> OTHER INFORMATION: Oligonucleotide 366 <400> SEQUENCE: 14 21 367 caggttgatg ctccatacca t 370 <210> SEQ ID NO: 15 372 <211> LENGTH: 20 374 <212> TYPE: DNA 376 <213> ORGANISM: Artificial Sequence 380 <220> FEATURE: 382 <223> OTHER INFORMATION: Oligonucleotide 384 <220> FEATURE: 386 <221> NAME/KEY: misc_feature 388 <222> LOCATION: (1)..(1) 390 <223> OTHER INFORMATION: a labelled with 6FAM 394 <220> FEATURE: 396 <221> NAME/KEY: misc_feature 398 <222> LOCATION: (20)..(20) 400 <223> OTHER INFORMATION: c labelled with Tamra-p 404 <400> SEQUENCE: 15 405 aggeteege tetgeaatgg e 20 408 <210> SEQ ID NO: 16 410 <211> LENGTH: 21 412 <212> TYPE: DNA 414 <213> ORGANISM: Artificial Sequence 418 <220> FEATURE: 420 <223> OTHER INFORMATION: Oligonucleotide 422 <400> SEQUENCE: 16 21 423 cccagggacc tctctctaat c 426 <210> SEQ ID NO: 17 428 <211> LENGTH: 21 430 <212> TYPE: DNA 432 <213> ORGANISM: Artificial Sequence 436 <220> FEATURE: 438 <223> OTHER INFORMATION: Oligonucleotide 440 <400> SEQUENCE: 17 441 atgggctaca ggcttgtcac t 21 444 <210> SEQ ID NO: 18 446 <211> LENGTH: 22

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

448 <212> TYPE: DNA 450 <213> ORGANISM: Artificial Sequence 454 <220> FEATURE: 456 <223> OTHER INFORMATION: Oligonucleotide 458 <220> FEATURE: 460 <221> NAME/KEY: misc feature 462 <222> LOCATION: (1)..(1) 464 <223> OTHER INFORMATION: t labelled with 6Fam 468 <220> FEATURE: 470 <221> NAME/KEY: misc_feature 472 <222> LOCATION: (22)..(22) 474 <223> OTHER INFORMATION: c labelled with Tamra-p 478 <400> SEQUENCE: 18 22 479 tggcccagg cagtcagatc atc 482 <210> SEQ ID NO: 19 484 <211> LENGTH: 24 486 <212> TYPE: DNA 488 <213> ORGANISM: Artificial Sequence 492 <220> FEATURE: 494 <223> OTHER INFORMATION: Oligonucleotide 496 <400> SEQUENCE: 19 497 ctaattattc ggtaactgac ttga 24 500 <210> SEQ ID NO: 20 502 <211> LENGTH: 21 504 <212> TYPE: DNA 506 <213> ORGANISM: Artificial Sequence 510 <220> FEATURE: 512 <223> OTHER INFORMATION: Oligonucleotide 514 <400> SEQUENCE: 20 515 acagttcagc catcacttgg a 21 518 <210> SEQ ID NO: 21 520 <211> LENGTH: 24 522 <212> TYPE: DNA 524 <213> ORGANISM: Artificial Sequence 528 <220> FEATURE: 530 <223> OTHER INFORMATION: Oligonucleotide 532 <220> FEATURE: 534 <221> NAME/KEY: misc feature 536 <222> LOCATION: (1)..(1) 538 <223> OTHER INFORMATION: t labelled with 6Fam 542 <220> FEATURE: 544 <221> NAME/KEY: misc_feature 546 <222> LOCATION: (24)..(24) 548 <223> OTHER INFORMATION: c labelled with Tamra-p 552 <400> SEQUENCE: 21 553 tccaacgca aagcaataca tgaac 24 556 <210> SEQ ID NO: 22 558 <211> LENGTH: 21 560 <212> TYPE: DNA

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/501,666A

DATE: 02/25/2005 TIME: 09:37:11

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:31; N Pos. 22

VERIFICATION SUMMARY

--

DATE: 02/25/2005 TIME: 09:37:11

PATENT APPLICATION: US/10/501,666A

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\02252005\J501666A.raw

L:803 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0 ·